

In the Claims:

1. (Previously Presented) A method for notification comprising:
 - a) determining an event occurrence;
 - b) determining location indicia; and
 - c) sending information to a plurality of communication devices when the event occurrence and the location indicia correlate with an event criteria and location criteria defined in a user-desired profile.
2. (Previously Presented) The method of claim 1 wherein the determining an event occurrence step comprises:
 - a) waiting for an event trigger signaling the event occurrence;
 - b) identifying the user-desired profile defining the event criteria corresponding to the event occurrence; and
 - c) triggering the determining the location indicia step upon identifying the user-desired profile wherein the event occurrence corresponds with the event criteria.
3. (Previously Presented) The method of claim 1 wherein the determining location indicia step comprises:
 - a) waiting for a location trigger with the location indicia;
 - b) identifying the user-desired profile defining the location criteria corresponding to the location indicia; and
 - c) triggering the determining the event occurrence step upon identifying the user-desired profile wherein the location indicia corresponds with the location criteria.
4. (Previously Presented) The method of claim 1 wherein the information sent to the plurality of communication devices is a notification pertaining to the event occurrence and the location indicia.
5. (Previously Presented) The method of claim 1 wherein the information sent to the plurality of communication devices is content pertaining to the event occurrence or the location indicia.

6. (Original) The method of claim 5 further comprising requesting the content from a remote service and receiving the content from the remote service.
7. (Original) The method of claim 1 wherein the location indicia is at least one of the group consisting of an actual location, area, and proximity to a location.
8. (Original) The method of claim 1 wherein the event occurrence is a weather event and the location indicia relates to a location of a person potentially affected by the weather event.
9. (Original) The method of claim 1 wherein the event occurrence relates to a select time or period of time.
10. (Original) The method of claim 1 wherein the event occurrence is the arrival to or departure from a given location, area, or proximity of an area.
11. (Previously Presented) The method of claim 1 wherein the information is sent to a front end device capable of delivering the information to a select communication device within the plurality of communication devices, which is at least one of the group consisting of a pager, computer, telephone, mobile terminal, facsimile machine, and personal digital assistant.
12. (Previously Presented) The method of claim 1 wherein the information is sent to a front end device capable of delivering the information to a select communication device within the plurality of communication devices, which is configured to effect delivery of the information in the form of at least one of the group consisting of a page, email, short message service message, facsimile, audio message, and packet message.
13. (Previously Presented) The method of claim 1 further comprising creating the user-desired profile based on user input to define the event occurrence and the location indicia.

14. (Previously Presented) The method of claim 13 wherein the user-desired profile defines the plurality of communication devices to which to send the information.
15. (Previously Presented) The method of claim 14 wherein the user-desired profile defines where to access content to provide as the information.
16. (Original) The method of claim 1 wherein the event occurrence is identified by receiving a message sent from at least one of the group consisting of a service provider, a user's communication device, an internal process, and an external process.
17. (Previously Presented) A system for notification comprising a communication interface associated with a control system adapted to:
- a) determine an event occurrence;
 - b) determine location indicia; and
 - c) send information to a plurality of communication devices when the event occurrence and the location indicia correlate with an event criteria and location criteria defined in a user-desired profile.
18. (Previously Presented) The system of claim 17 wherein to determine the event occurrence, the control system is further adapted to:
- a) wait for an event trigger signaling the event occurrence;
 - b) identify the user-desired profile defining the event criteria corresponding to the event occurrence; and
 - c) trigger the determining the location indicia step upon identifying the user-desired profile wherein the event occurrence corresponds with the event criteria.
19. (Previously Presented) The system of claim 17 wherein to determine the location indicia, the control system is further adapted to:
- a) wait for a location trigger with the location indicia;
 - b) identify the user-desired profile defining the location criteria corresponding to the location indicia; and

- c) trigger the determining the event occurrence step upon identifying the user-desired profile wherein the location indicia corresponds with the location criteria.

20. (Currently Amended) A computer readable medium comprising software configured to instruct a computer to:

- a) determine an event occurrence;
- b) determine location indicia; and
- c) send information to a plurality of select communication devices ~~device~~ when the event occurrence and the location indicia correlate with an event criteria and location criteria defined in a user-desired profile.

21. (Currently Amended) The computer readable medium of claim 20 wherein to determine the event occurrence, the software includes instructions to:

- a) wait for an event trigger signaling the event occurrence;
- b) identify the user-desired profile defining the event criteria corresponding to the event occurrence; and
- c) trigger ~~the determining~~ determination of the location indicia ~~[[step]]~~ upon identifying the user-desired profile wherein the event occurrence corresponds with the event criteria.

22. (Previously Presented) The computer readable medium of claim 20 wherein to determine the location indicia, the software includes instructions to:

- a) wait for a location trigger with the location indicia;
- b) identify the user-desired profile defining the location criteria corresponding to the location indicia; and
- c) trigger ~~the determining~~ determination of the event occurrence ~~[[step]]~~ upon identifying the user-desired profile wherein the location indicia corresponds with the location criteria.

23. (Currently Amended) A system for notification comprising:

- a) means for determining an event occurrence;
- b) means for determining location indicia; and

- c) means for sending information to a plurality of select communication devices ~~device~~ when the event occurrence and the location indicia correlate with an event criteria and location criteria defined in a user-desired profile.